

#### These measures were produced by the DSHS Research and Data Analysis Division in collaboration with:

The Bill & Melinda Gates
Foundation | U.S. Department of
Housing and Urban Development |
King County Housing Authority |
Seattle Housing Authority | Tacoma
Housing Authority

# Profile of Clients Served by DSHS and the Everett Housing Authority

#### **SEPTEMBER 2016**

This report provides annual, aggregate snapshots and trends of characteristics, service utilization and well-being of households and individuals receiving housing assistance administered by local public housing authorities/agencies (PHA) in Washington State, within the calendar years. In addition to person and household counts and demographic trends, the report describes employment and earnings, health status, behavioral health treatment need, financial assistance, social services utilization, criminal justice involvement, and neighborhood characteristics. Separate reports are available statewide and for any housing authority submitting an Annual Plan to the Department of Housing and Urban Development (HUD).

Using records provided by HUD, Washington State has integrated public housing authority client- and household-level data with data from the Integrated Client Database (ICDB). The ICDB includes information from multiple state administrative data systems and contains over a decade of detailed person-level records on social service utilization, health risk indicators, service costs, and outcomes such as employment and criminal justice involvement. Integrating HUD and ICDB data provides a systematic and detailed view of the experiences, characteristics and outcomes of assisted housing recipients.

This project was funded by the Bill & Melinda Gates Foundation and HUD and benefited from the collaboration and advice of staff from the King County, Seattle, and Tacoma Housing Authorities. Contingent on the continued availability of HUD data, reports will be generated annually.

DATA NOTE

**Data Suppression:** Due to the confidential nature of some measures, privacy is protected by suppressing results that are based on fewer than 10 observations. In these cases, tables displays will show dashes (-) in place of totals and empty cells for associated percentages. Graphs will omit suppressed years and fill suppressed spans by connecting the line between non-suppressed data points.

**Back to Contents** 

SEPTEMBER 2016

#### **CONTENTS**

#### Introduction


- O At a Glance: Summary Measures
- 1 Households and Persons
- 2 Households and Persons by Program
- 3 Race and Ethnicity
- 4 Gender, Age and Disability Distribution
- 5a Employment and Earnings
- 5b Two-Year Employment Outcomes
- 6a Health Indicators (All Ages)
- 6b Health Indicators Children and Youth (Age 0-17)
- 6c Health Indicators Adults with NO Disability (Age 18-64)
- 6d Health Indicators Adults WITH Disability (Age 18-64)
- 7a Behavioral Health Indicators (All Ages)
- 7b Behavioral Health Indicators Children and Youth (Age 0-17)
- <u>7c</u> Behavioral Health Indicators Adults with NO Disability (Age 18-64)
- <u>7d</u> Behavioral Health Indicators Adults WITH Disability (Age 18-64)
- 8a Economic Services Utilization
- 8b Social Service Utilization
- 8c Behavioral Health and Rehabilitation Service Utilization
- 9a Recent Criminal and Justice System Involvement By Race
- 9b Recent Criminal and Justice System Involvement By Age

#### **Technical Notes**




**SEPTEMBER 2016** 

### AT A GLANCE | SFY 2013




### Persons by Race/Ethnicity




\*Clients may have multiple races or ethnicities, so percentages will exceed Any Minority.

### Households with Minors, Single Parents, Primary Language not English



#### **Health Indicators and Medical Utilization**


Among those with Medicaid coverage (n = 5,379, 75.6%). Percent with these conditions or visiting an Emergency Department (ED).





#### **Behavioral Health Conditions**

Among those with Medicaid coverage (n = 5,379, 75.6%). Mental health conditions include depression, bipolar disorder, psychosis disorder.








SEPTEMBER 2016

DISPLAY 1

### **Households and Persons**



CALENDAR YEAR	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Total Households in PHA-Assisted Housing	3,086	3,325	3,398	3,489						
Total Persons in PHA-Assisted Housing	7,039	7,688	7,795	7,998						
Total Single-Parent Households	761	816	804	822						
Percent Single-Parent Households	24.7%	24.5%	23.7%	23.6%						
Total Households with Minor Children	1,255	1,373	1,377	1,402						
Percent Households with Minor Children	40.7%	41.3%	40.5%	40.2%						
Total Primary Language not English	454	500	533	550						
Percent Primary Language not English	14.7%	15.0%	15.7%	15.8%						
Non-Citizen	464	479	499	501						
Percent Non-Citizens	6.6%	6.2%	6.4%	6.3%						






SEPTEMBER 2016

DISPLAY 2

### **Households and Persons by Program**






**Back to Contents** 

SEPTEMBER 2016

DISPLAY 3

### **Race and Ethnicity**



CALENDAR YEAR	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Total Persons with PHA-Assisted Housing	7,039	7,688	7,795	7,998						
Total White, Non-Hispanic	4,609	4,906	4,884	4,938						
Percent White, Non-Hispanic	65.5%	63.8%	62.7%	61.7%						
Total Minority (any minority race/ethnicity)	2,223	2,561	2,680	2,802						
Percent Minority (any minority race/ethnicity)	31.6%	33.3%	34.4%	35.0%						
Total Hispanic (may be any race)	564	703	748	795						
Percent Hispanic	8.0%	9.1%	9.6%	9.9%						
Total African American	899	1,002	1,022	1,051						
Percent African American	12.8%	13.0%	13.1%	13.1%						
Total Asian	404	459	489	518						
Percent Asian	5.7%	6.0%	6.3%	6.5%						
Total Native Hawaiian/Pacific Islander	211	259	319	351						
Percent Native Hawaiian/Pacific Islander	3.0%	3.4%	4.1%	4.4%						
Total American Indian	419	466	459	476						
Percent American Indian	6.0%	6.1%	5.9%	6.0%						






SEPTEMBER 2016

DISPLAY 4

### Gender, Age and Disability Distribution







SEPTEMBER 2016

**DISPLAY 5a** 

### **Employment and Earnings**



CALENDAR YEAR	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Total PHA-Assisted Persons	7,039	7,688	7,795	7,998						
Total Working Age (not disabled, age 18 to 65)	2,318	2,561	2,694	2,806						
Percent Working Age	32.9%	33.3%	34.6%	35.1%						
Total Employed at any Time in the Year	1,131	1,292	1,387	1,474						
Percent Employed at any Time in the Year	48.8%	50.4%	51.5%	52.5%						
Median Monthly Earnings (employed only)	\$935	\$906	\$968	\$993						
Median Hourly Wage Rate (employed only)	\$10.93	\$10.86	\$10.97	\$11.15						
Median Weekly Hours (employed only)	19.6	19.3	19.1	20.4						






SEPTEMBER 2016

DISPLAY 5b

### **Two-Year Employment Outcomes**



CALENDAR YEAR	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Total Working Age (not disabled)	2,318	2,561	2,694	2,806						
Employed at Baseline (at cohort year)	1,131	1,292	1,387	1,474						
Employed 2 Years Later (2 years after cohort year)	1,183	1,353	1,456	1,555						
Percent Employed at Baseline	48.8%	50.4%	51.5%	52.5%						
Percent Employed 2 years Later	51.0%	52.8%	54.0%	55.4%						
Median Monthly Earnings at baseline	\$935	\$906	\$968	\$993						
Median Monthly Earnings 2 years Later	\$1,169	\$1,161	\$1,227	\$1,352						
Median Wage Rate at Baseline	\$10.93	\$10.86	\$10.97	\$11.15						
Median Wage Rate 2 Years Later	\$11.50	\$11.67	\$12.00	\$12.76						
Median Weekly Hours at Baseline	19.6	19.3	19.1	20.4						
Median Weekly Hours 2 Years Later	22.4	22.7	23.4	24.5						






SEPTEMBER 2016

DISPLAY 6

### Health Indicators (Age 0 to 64)



CALENDAR YEAR	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Total PHA-Assisted Persons	6,270	6,863	6,945	7,112						
Total with Medicaid Coverage	4,900	5,315	5,348	5,379						
Percent with Medicaid Coverage	78.1%	77.4%	77.0%	75.6%						
Total with Diabetes	315	336	340	343						
Percent with Diabetes	6.4%	6.3%	6.4%	6.4%						
Total with Hypertension	299	355	349	360						
Percent with Hypertension	6.1%	6.7%	6.5%	6.7%						
Total with Asthma	631	711	698	694						
Percent with Asthma	12.9%	13.4%	13.1%	12.9%						
Total with 1 or More ED Visits (in cohort year)	1,552	1,821	1,820	1,856						
Percent with 1 or More ED Visits (in cohort year)	31.7%	34.3%	34.0%	34.5%						






SEPTEMBER 2016

DISPLAY 6

### Health Indicators for Children and Youth (Age 0-17)



CALENDAR YEAR	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Total PHA-Assisted Persons	2,804	3,049	2,984	3,026						
Total with Medicaid Coverage	2,651	2,900	2,862	2,885						
Percent with Medicaid Coverage	94.5%	95.1%	95.9%	95.3%						
Total with Diabetes	-	16	27	24						
Percent with Diabetes		0.6%	0.9%	0.8%						
Total with Hypertension	-	-	-	-						
Percent with Hypertension										
Total with Asthma	227	271	277	251						
Percent with Asthma	8.6%	9.3%	9.7%	8.7%						
Total with 1 or More ED Visits (in cohort year)	679	781	806	838						
Percent with 1 or More ED Visits (in cohort year)	25.6%	26.9%	28.2%	29.0%						






SEPTEMBER 2016

DISPLAY 6

### Health Indicators for Adults With NO Disability (Age 18-64)



CALENDAR YEAR	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Total PHA-Assisted Persons	2,318	2,561	2,694	2,806						
Total with Medicaid Coverage	1,101	1,162	1,219	1,214						
Percent with Medicaid Coverage	47.5%	45.4%	45.2%	43.3%						
Total with Diabetes	62	62	56	69						
Percent with Diabetes	5.6%	5.3%	4.6%	5.7%						
Total with Hypertension	72	78	75	79						
Percent with Hypertension	6.5%	6.7%	6.2%	6.5%						
Total with Asthma	122	135	143	137						
Percent with Asthma	11.1%	11.6%	11.7%	11.3%						
Total with 1 or More ED Visits (in cohort year)	437	458	478	481						
Percent with 1 or More ED Visits (in cohort year)	39.7%	39.4%	39.2%	39.6%						






SEPTEMBER 2016

DISPLAY 6

### Health Indicators for Adults WITH Disability (Age 18-64)



CALENDAR YEAR	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Total PHA-Assisted Persons	1,148	1,253	1,267	1,280						
Total with Medicaid Coverage	1,148	1,253	1,267	1,280						
Percent with Medicaid Coverage	100.0%	100.0%	100.0%	100.0%						
Total with Diabetes	245	258	257	250						
Percent with Diabetes	21.3%	20.6%	20.3%	19.5%						
Total with Hypertension	223	267	269	276						
Percent with Hypertension	19.4%	21.3%	21.2%	21.6%						
Total with Asthma	282	305	278	306						
Percent with Asthma	24.6%	24.3%	21.9%	23.9%						
Total with 1 or More ED Visits (in cohort year)	436	582	536	537						
Percent with 1 or More ED Visits (in cohort year)	38.0%	46.4%	42.3%	42.0%						



**SEPTEMBER 2016** 



DISPLAY 7a

### **Behavioral Health Indicators (Age 0 to 64)**

#### **Percent Mental Health Indicator Percents by Mental Health Diagnosis LEGEND** Percent with SUD and Co-Occurring With MH Indicator SUD-MH (Ages 12-64 only) 80% 80% 80% Substance Use Disorder Co-Occurring MH+SUD Depression or Anxiety 60% 60% 60% Bipolar Disorder Psychotic Disorder INDICATOR 40% 40% 40% Behavioral health. Includes psychotic, bipolar, depressive, anxiety, adjustment, and ADHD/conduct/ impulse disorders. Persons over 64 not 20% 20% 20% included because Medicare data are unavailable. 0% 0% **SOURCE & POPULATION** 2013 2018 2010 2012 2016 2018 2019 2012 2014 2015 2016 2019 2016 2019 2011 2013 2014 2015 2017 2010 2011 2017 2010 2011 2012 2013 2014 2015 2017 2018 DSHS Integrated Client Database.


CALENDAR YEAR	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Total PHA-Assisted Persons	6,270	6,863	6,945	7,112						
Total with Medicaid Coverage	4,900	5,315	5,348	5,379						
Total with Indicator of Mental Health Condition	1,893	2,053	1,983	1,958						
Percent with Indicator of Mental Health Condition	38.6%	38.6%	37.1%	36.4%						
Total with SUD Treatment Need Indicator	445	505	563	619						
Percent with SUD Treatment Need Indicator	14.0%	14.8%	16.1%	17.8%						
Total with Co-Occurring MH and SUD Disorders	366	411	453	477						
Percent with Co-Occurring MH and SUD Disorders	11.5%	12.0%	13.0%	13.7%						
Total Diagnosed with Depression or Anxiety	881	941	900	911						
Percent Diagnosed with Depression or Anxiety	18.0%	17.7%	16.8%	16.9%						
Total Diagnosed with Bipolar Disorder	503	550	531	500						
Percent Diagnosed with Bipolar Disorder	10.3%	10.3%	9.9%	9.3%						
Total Diagnosed with Psychotic Disorder	246	270	264	242						
Percent Diagnosed with Psychotic Disorder	5.0%	5.1%	4.9%	4.5%						



SEPTEMBER 2016

DISPLAY 7b

### Behavioral Health Indicators for Children and Youth (Age 0-17)



CALENDAR YEAR	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Total PHA-Assisted Persons (Age 0 -17)	2,804	3,049	2,984	3,026						
Total with Medicaid Coverage	2,651	2,900	2,862	2,885						
Total with Indicator of Mental Health Condition	466	527	498	516						
Percent with Indicator of Mental Health Condition	17.6%	18.2%	17.4%	17.9%						
Total with SUD Treatment Need Indicator	52	50	62	70						
Percent with SUD Treatment Need Indicator	5.6%	5.0%	6.2%	7.1%						
Total with Co-Occurring MH and SUD Disorders	29	23	31	38						
Percent with Co-Occurring MH and SUD Disorders	3.1%	2.3%	3.1%	3.9%						
Total Diagnosed with Depression or Anxiety	106	124	109	117						
Percent Diagnosed with Depression or Anxiety	4.0%	4.3%	3.8%	4.1%						
Total Diagnosed with Bipolar Disorder	35	36	25	26						
Percent Diagnosed with Bipolar Disorder	1.3%	1.2%	0.9%	0.9%						
Total Diagnosed with Psychotic Disorder	13	12	13	16						
Percent Diagnosed with Psychotic Disorder	0.5%	0.4%	0.5%	0.6%						




**SEPTEMBER 2016** 

DISPLAY 7c

HOME

### Behavioral Health Indicators for Adults With NO Disability (Age 18-64)



CALENDAR YEAR	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Total PHA-Assisted Persons (Age 18 - 64 & not disab	2,318	2,561	2,694	2,806						
Total with Medicaid Coverage	1,101	1,162	1,219	1,214						
Total with Indicator of Mental Health Condition	506	524	518	513						
Percent with Indicator of Mental Health Condition	46.0%	45.1%	42.5%	42.3%						
Total with SUD Treatment Need Indicator	175	200	212	224						
Percent with SUD Treatment Need Indicator	15.9%	17.2%	17.4%	18.5%						
Total with Co-Occurring MH and SUD Disorders	130	152	156	157						
Percent with Co-Occurring MH and SUD Disorders	11.8%	13.1%	12.8%	12.9%						
Total Diagnosed with Depression or Anxiety	266	283	278	286						
Percent Diagnosed with Depression or Anxiety	24.2%	24.4%	22.8%	23.6%						
Total Diagnosed with Bipolar Disorder	106	114	104	81						
Percent Diagnosed with Bipolar Disorder	9.6%	9.8%	8.5%	6.7%						
Total Diagnosed with Psychotic Disorder	15	-	-	-						
Percent Diagnosed with Psychotic Disorder	1.4%									




**SEPTEMBER 2016** 

**Authority** 

DISPLAY 7d

### Behavioral Health Indicators for Adults WITH Disability (Age 18-64)




CALENDAR YEAR	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Total PHA-Assisted Persons (Age 18 - 64 & Disabled)	1,148	1,253	1,267	1,280						
Total with Medicaid Coverage	1,148	1,253	1,267	1,280						
Total with Indicator of Mental Health Condition	921	1,002	967	929						
Percent with Indicator of Mental Health Condition	80.2%	80.0%	76.3%	72.6%						
Total with SUD Treatment Need Indicator	218	255	289	325						
Percent with SUD Treatment Need Indicator	19.0%	20.4%	22.8%	25.4%						
Total with Co-Occurring MH and SUD Disorders	207	236	266	282						
Percent with Co-Occurring MH and SUD Disorders	18.0%	18.8%	21.0%	22.0%						
Total Diagnosed with Depression or Anxiety	509	534	513	508						
Percent Diagnosed with Depression or Anxiety	44.3%	42.6%	40.5%	39.7%						
Total Diagnosed with Bipolar Disorder	362	400	402	393						
Percent Diagnosed with Bipolar Disorder	31.5%	31.9%	31.7%	30.7%						
Total Diagnosed with Psychotic Disorder	218	248	241	216						
Percent Diagnosed with Psychotic Disorder	19.0%	19.8%	19.0%	16.9%						



**SEPTEMBER 2016** 

**DISPLAY 8a** 

#### **Economic Services Utilization**



CALENDAR YEAR	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Total PHA-Assisted Persons	7,039	7,688	7,795	7,998						
Total with TANF	1,602	1,688	1,392	1,195						
Percent with TANF	22.8%	22.0%	17.9%	14.9%						
Average Number of Months a Family is on TANF	7.6	6.9	7.3	7.4						
Total Adults with TANF for 5 or More Years	991	822	551	438						
Percent with TANF for 5 or More Years	14.1%	10.7%	7.1%	5.5%						
Total with Basic Food Assistance (SNAP)	5,859	6,460	6,609	6,787						
Percent with Basic Food Assistance (SNAP)	83.2%	84.0%	84.8%	84.9%						
Total with Other ESA Asssitance	3,188	3,470	3,429	3,450						
Percent with Other ESA Asssitance	45.3%	45.1%	44.0%	43.1%						




**Back to Contents** 

SEPTEMBER 2016

DISPLAY 8b

#### **Social Service Utilization**




CALENDAR YEAR	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Total PHA-Assisted Persons	7,039	7,688	7,795	7,998						
Total with Children's Administration Services	701	862	891	833						
Percent with Children's Administration Services	10.0%	11.2%	11.4%	10.4%						
Total with Aging and Long-Term Services	578	617	643	662						
Percent with Aging and Long-Term Services	8.2%	8.0%	8.2%	8.3%						
Total with Developmental Disability Services	211	229	229	228						
Percent with Developmental Disability Services	3.0%	3.0%	2.9%	2.9%						



SEPTEMBER 2016

DISPLAY 8c

#### **Behavioral Health and Rehabilitation Service Utilization**




CALENDAR YEAR	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Total PHA-Assisted Persons	7,039	7,688	7,795	7,998						
Total with Mental Health Services	728	788	743	784						
Percent with Mental Health Services	10.3%	10.2%	9.5%	9.8%						
Total with SUD Treatment Services	199	237	258	262						
Percent with SUD Treatment Services	2.8%	3.1%	3.3%	3.3%						
Total with Rehabilitation Administration Services	79	79	65	76						
Percent with Rehabilitation Administration Services	1.1%	1.0%	0.8%	1.0%						

**Back to Contents** 

SEPTEMBER 2016

DISPLAY 9a

### **Recent Criminal Justice Involvement - By Race**






**Back to Contents** 

SEPTEMBER 2016

DISPLAY 9b

### **Recent Criminal Justice Involvement - By Age**





**Back to Contents** 

**SEPTEMBER 2016** 

#### **TECHNICAL NOTES**

#### **POPULATION**

All DSHS- and HCA-served persons with any PHA assisted housing during the calendar year. Household relationships are based on PHA household identifiers.

#### **DATA SOURCES**

- DSHS Integrated Client Database (ICDB)
- HUD Public and Indian Housing Information Center (PIC). Does not include data from TRACS.
- DSHS Community Outcome and Risk Evaluation Information System (CORE)

#### **MEASURES**

- Single-Parent Households: Derived from PHA household identifier. No other adults (18 or over) associated with the household. Excludes single-parent households with children 18 or over. (PIC)
- English Language Learners: Received translation or other similar services from DSHS. (ICDB)
- Non-Citizen: Source, PIC.
- · Housing Program: Derived from PIC program codes. "Unassigned" households have missing program types. (PIC)
- Race and Ethnicity: Derived from PIC unless missing. Missing values in PIC are replaced with values form the ICDB where available.
- Disability: Based on receipt of Supplementary Security Income (SSI) or Medicaid for disability. (ICDB)
- Employment and Earnings: Based on quarterly earnings and hours reported to the Washington State Employment Security Department for the purposes of unemployment insurance. Wages are calculated from total reported earnings and hours. Average monthly earnings are quarterly earnings divided by three. (ICDB)
- Employment Outcomes: Compares baseline employment rates in each cohort year with employment rates experienced by the same cohort two years later. (ICDB)
- Diabetes, Hypertension and Asthma: Rates are based on presence of relevant diagnoses, procedures or prescriptions in Medicaid claims or encounters. (ICDB)
- Emergency Department Use: Utilization based on Medicaid claims and encounters. (ICDB)
- Mental Health Treatment Need (MH Indicator): In the past 24 months, any mental health diagnosis, prescription or service recorded in administrative data. The following diagnostic categories are included: Psychotic, Bipolar, Depressive, Anxiety, Adjustment, and ADHD/Conduct/Impulse. The following medication classes are included: Antipsychotic, Antimania, Antidepressant, Antianxiety, and ADHD. Mental health services include state contracted community inpatient or outpatient, state hospital or children's long-term inpatient, HCA-funded mental health services, tribal mental health services, and Children's Administration Behavioral Rehabilitation Services. (ICDB)
- Substance Use Disorder Treatment Need (SUD): In the past 24 months, at least one substance-related diagnosis, procedure, prescription, treatment, or arrest.
- Co-Occurring Treatment Needs (MH + SUD): Presence of both a mental health treatment need and substance use disorder treatment need during the same 24-month period.
- TANF, SNAP or Other Assistance: Refers to financial assistance provided through the State Economic Services Administration (ESA). Count includes persons with at least one month of Temporary Assistance for Needy Families (TANF), Supplemental Nutrition Assistance Program (SNAP) or other assistance administered by ESA in the cohort year.
- Months on TANF: Total number of months TANF receipt in the cohort year. (ICDB)
- 5+ Years TANF: Count of persons with five or more years of lifetime TANF receipt, as adults. ICDB)
- Social Service Utilization: Count of persons service by DSHS administrations services, including Children's, Aging and Adult Services, Developmental, Disability, Behavioral Health (state-funded mental health and SUD treatment) and Rehabilitation services. (ICDB)
- Criminal Justice Involvement: Any arrest or conviction in prior 24 months. (ICDB)

**SEPTEMBER 2016** 



**CONTRIBUTORS** 

Jim Mayfield, RDA | Joyce Fan, RDA | Andrés Soriano, RDA | Barbara E.M. Felver, RDA https://www.dshs.wa.gov/sesa/rda/research-reports